ELSEVIER

European Journal of Pharmacology 299 (1996) 235–236

ejp

# Author index

Acs, G., see Szallasi, A. (299) 221
Anderson, J.L., see Zhu, S.-J. (299) 205
Angelucci, L., see Patacchioli, F.R. (299) 29
Appendino, G., see Szallasi, A. (299) 221

Bao, L.-h., see Tanabe, T. (299) 187
Barlas, C., see Modi, P.I. (299) 213
Bath, C.P., Farrell, L.N., Gilmore, J., Ward, M.A., Hicks, C.A., O'Neill, M.J. and Bleakman, D.
The effects of ifenprodil and eliprodil on voltage-dependent $Ca^{2+}$ channels and in gerbil global cerebral ischaemia (299) 103
Biggs, C.S., Fowler, L.J., Whitton, P.S. and Starr, M.S.
NMDA receptor antagonists increase the release of dopamine in the substantia nigra of reserpine-treated rats (299) 83
Björklund, M., see Jäkälä, P. (299) 47
Bleakman, D., see Bath, C.P. (299) 103
Blumberg, P.M., see Szallasi, A. (299) 221
Bowery, N.G., see Malcangio, M. (299) 113
Browning, R., see Statnick, M. (299) 93

Canini, F., see Messaoudi, M. (299) 17
Cantoni, L., see Tsankova, V. (299) 197
Cardelús, I., Gras, J., Jáuregui, J., Llenas, J. and Palacios, J.M.
Inhibition of lipopolysaccharide-induced bowel erythrocyte extravasation in rats, and of mesenteric hypoperfusion in dogs, by phosphodiesterase inhibitors (299) 153
Carelli, M., see Tsankova, V. (299) 197
Cerutis, D.R., see Zhu, S.-J. (299) 205
Cravotto, G., see Szallasi, A. (299) 221
Cuéllar, B., see Lizasoain, I. (299) 41

Dailey, J., see Statnick, M. (299) 93
D'Aubioul, J., see Van de Water, A. (299) 127
De Clerck, F., see Van de Water, A. (299) 127
Diener, M. and Hug, F.
Modulation of $Cl^-$ secretion in rat distal colon by genistein, a protein tyrosine kinase inhibitor (299) 161
Di Grezia, R., see Patacchioli, F.R. (299) 29
Di Lorenzo, D., see Di Santo, E. (299) 179
Di Santo, E., Sironi, M., Mennini, T., Zinetti, M., Savoldi, G., Di Lorenzo, D. and Ghezzi, P.
A glucocorticoid receptor-independent mechanism for neurosteroid inhibition of tumor necrosis factor production (299) 179

Eaton, M.J., Lookingland, K.J. and Moore, K.E.
The $\sigma$ receptor ligand rimcazole alters secretion of prolactin and $\alpha$-melanocyte stimulating hormone by dopaminergic and non-dopaminergic mechanisms (299) 171
Eblen, F., Löschmann, P.-A., Wüllner, U., Turski, L. and Klockgether, T.
Effects of 7-nitroindazole, $N^G$-nitro-L-arginine, and D-CPPene on harmaline-induced postural tremor, *N*-methyl-D-aspartate-induced seizures, and lisuride-induced rotations in rats with nigral 6-hydroxydopamine lesions (299) 9
Eigler, A., see Greten, T.F. (299) 229
Endres, S., see Greten, T.F. (299) 229

Farrell, L.N., see Bath, C.P. (299) 103
Flower, R.J., see Malcangio, M. (299) 113
Fowler, L.J., see Biggs, C.S. (299) 83
Fu, M., see Modi, P.I. (299) 213

Ghezzi, P., see Di Santo, E. (299) 179
Gilmore, J., see Bath, C.P. (299) 103
Gras, J., see Cardelús, I. (299) 153
Greten, T.F., Sinha, B., Haslberger, C., Eigler, A. and Endres, S.
Cicaprost and the type IV phosphodiesterase inhibitor, rolipram, synergize in suppression of tumor necrosis factor-$\alpha$ synthesis (299) 229
Groschner, K., see Wakabayashi, I. (299) 139

Halonen, T., Nissinen, J., Jansen, J.A. and Pitkänen, A.
Tiagabine prevents seizures, neuronal damage and memory impairment in experimental status epilepticus (299) 69
Haslberger, C., see Greten, T.F. (299) 229
Heidbreder, Ch., see Shippenberg, T.S. (299) 33
Hicks, C.A., see Bath, C.P. (299) 103
Hidaka, H., see Win, N.H.H. (299) 119
Hönack, D., see Löscher, W. (299) 61
Hug, F., see Diener, M. (299) 161

Iida, Y., see Win, N.H.H. (299) 119
Inagaki, C., see Tanabe, T. (299) 187
Ishikawa, T., see Win, N.H.H. (299) 119

Jäkälä, P., Björklund, M. and Riekkinen Jr., P.
Suppression of neocortical high-voltage spindles by nicotinic acetylcholine and 5-$HT_2$ receptor stimulation (299) 47
Jansen, J.A., see Halonen, T. (299) 69
Jáuregui, J., see Cardelús, I. (299) 153
Jobe, P., see Statnick, M. (299) 93

Kamei, H., Kameyama, T. and Nabeshima, T.
(+)-SKF-10,047 and dextromethorphan ameliorate conditioned fear stress through the activation of phenytoin-regulated $\sigma_1$ sites (299) 21
Kameyama, T., see Kamei, H. (299) 21
Kashyap, A., see Modi, P.I. (299) 213
Kato, M., see Win, N.H.H. (299) 119
Klockgether, T., see Eblen, F. (299) 9
Kukovetz, W.R., see Wakabayashi, I. (299) 139

Lalonde, R., see Messaoudi, M. (299) 17
Leeuwin, R.S., Zeegers, A. and Van Wilgenburg, H.
PK 11195 antagonizes the positive inotropic response of the isolated rat heart to diazepam but not the negative inotropic response (299) 149
Lefevour, A., see Shippenberg, T.S. (299) 33
Leza, J.C., see Lizasoain, I. (299) 41
Lizasoain, I., Leza, J.C., Cuéllar, B., Moro, M.A. and Lorenzo, P.
Inhibition of morphine withdrawal by lamotrigine: involvement of nitric oxide (299) 41

Llenas, J., see Cardelús, I. (299) 153
Lookingland, K.J., see Eaton, M.J. (299) 171
Lorenzo, P., see Lizasoain, I. (299) 41
Löscher, W. and Hönack, D.
Valproate and its major metabolite E-2-en-valproate induce different effects on behaviour and brain monoamine metabolism in rats (299) 61
Löschmann, P.-A., see Eblen, F. (299) 9
Lundberg, J.M., see Szallasi, A. (299) 221

Malcangio, M., Bowery, N.G., Flower, R.J. and Perretti, M.
Effect of interleukin-1$\beta$ on the release of substance P from rat isolated spinal cord (299) 113
Marcotte, E.R., see Modi, P.I. (299) 213
Mennini, T., see Di Santo, E. (299) 179
Messaoudi, M., Tricoire, A., Lalonde, R., Canini, F. and Minn, A.
Effects of MPTP on lever-pressing for light extinction in rats (299) 17
Mikami, Y., see Tanabe, T. (299) 187
Minn, A., see Messaoudi, M. (299) 17
Mishra, R.K., see Modi, P.I. (299) 213
Modi, P.I., Kashyap, A., Nair, V.D., Ross, G.M., Fu, M., Savelli, J.E., Marcotte, E.R., Barlas, C. and Mishra, R.K.
Modulation of brain catecholamine absorbing proteins by dopaminergic agents (299) 213
Molina, V., see Zurita, A. (299) 1
Moore, K.E., see Eaton, M.J. (299) 171
Moro, M.A., see Lizasoain, I. (299) 41
Murúa, S., see Zurita, A. (299) 1

Nabeshima, T., see Kamei, H. (299) 21
Nair, V.D., see Modi, P.I. (299) 213
Ninomiya, T., see Tanabe, T. (299) 187
Nissinen, J., see Halonen, T. (299) 69

Ogawa, R., see Tanabe, T. (299) 187
O'Neill, M.J., see Bath, C.P. (299) 103
Otani, H., see Tanabe, T. (299) 187

Palacios, J.M., see Cardelús, I. (299) 153
Patacchioli, F.R., Di Grezia, R. and Angelucci, L.
Arginine-aspartate and haloperidol-induced neurobehavioral effects in the rat (299) 29
Perretti, M., see Malcangio, M. (299) 113
Pitkänen, A., see Halonen, T. (299) 69

Riekkinen Jr., P., see Jäkälä, P. (299) 47
Ross, G.M., see Modi, P.I. (299) 213

Saito, N., see Win, N.H.H. (299) 119
Savelli, J.E., see Modi, P.I. (299) 213
Savoldi, G., see Di Santo, E. (299) 179
Shippenberg, T.S., Heidbreder, Ch. and Lefevour, A.
Sensitization to the conditioned rewarding effects of morphine: pharmacology and temporal characteristics (299) 33
Sinha, B., see Greten, T.F. (299) 229
Sironi, M., see Di Santo, E. (299) 179
Starr, M.S., see Biggs, C.S. (299) 83
Statnick, M., Dailey, J., Jobe, P. and Browning, R.
Neither intranigral fluoxetine nor 5,7-dihydroxytryptamine alter audiogenic seizures in genetically epilepsy-prone rats (299) 93
Szallasi, A., Acs, G., Cravotto, G., Blumberg, P.M., Lundberg, J.M. and Appendino, G.
A novel agonist, phorbol 12-phenylacetate 13-acetate 20-homovanillate, abolishes positive cooperativity of binding by the vanilloid receptor (299) 221

Tacconi, M.T., see Tsankova, V. (299) 197
Tanabe, T., Otani, H., Bao, L.-h., Mikami, Y., Yasukura, T., Ninomiya, T., Ogawa, R. and Inagaki, C.
Intracellular signaling pathway of substance P-induced superoxide production in human neutrophils (299) 187
Toews, M.L., see Zhu, S.-J. (299) 205
Tricoire, A., see Messaoudi, M. (299) 17
Tsankova, V., Visentin, M., Cantoni, L., Carelli, M. and Tacconi, M.T.
Peripheral benzodiazepine receptor ligands in rat liver mitochondria: effect on 27-hydroxylation of cholesterol (299) 197
Turski, L., see Eblen, F. (299) 9

Van Ammel, K., see Van de Water, A. (299) 127
Van de Water, A., D'Aubioul, J., Van Gerven, W., Van Ammel, K. and De Clerck, F.
Selective vasoconstriction by alniditan in the carotid vascular bed of anaesthetized dogs (299) 127
Van Gerven, W., see Van de Water, A. (299) 127
Van Wilgenburg, H., see Leeuwin, R.S. (299) 149
Visentin, M., see Tsankova, V. (299) 197

Wakabayashi, I., Kukovetz, W.R. and Groschner, K.
$NH_4Cl$-induced contraction of porcine coronary artery involves activation of dihydropyridine-sensitive $Ca^{2+}$ entry (299) 139
Ward, M.A., see Bath, C.P. (299) 103
Watanabe, Y., see Win, N.H.H. (299) 119
Whitton, P.S., see Biggs, C.S. (299) 83
Win, N.H.H., Ishikawa, T., Saito, N., Kato, M., Yokokura, H., Watanabe, Y., Iida, Y. and Hidaka, H.
A new and potent calmodulin antagonist, HF-2035, which inhibits vascular relaxation induced by nitric oxide synthase (299) 119
Wüllner, U., see Eblen, F. (299) 9

Yasukura, T., see Tanabe, T. (299) 187
Yokokura, H., see Win, N.H.H. (299) 119

Zeegers, A., see Leeuwin, R.S. (299) 149
Zhu, S.-J., Cerutis, D.R., Anderson, J.L. and Toews, M.L.
Regulation of hamster $\alpha_{1B}$-adrenoceptors expressed in Chinese hamster ovary cells (299) 205
Zinetti, M., see Di Santo, E. (299) 179
Zurita, A., Murúa, S. and Molina, V.
An endogenous opiate mechanism seems to be involved in stress-induced anhedonia (299) 1